





**City of Belle Isle**  
1600 Nela Avenue, Belle Isle, FL 32809  
Tel 407-851-7730 \* Fax 407-240-2222 \* [www.cityofbelleislefl.org](http://www.cityofbelleislefl.org)

### **Driveway Review Application for Orange County Building Permit**

#### **Driveway Construction Requirements** (Pertinent Information to be shown on Sketch)

1. Right-of-way Limits
2. Physical locations of the Driveway; such as
  - Street name
  - Intersection
  - State Road number, mile post and/or station number
3. Pertinent Drainage requirements; i.e., Size of pipe and earth cover
4. Type of construction
  - Graded earth driveway
  - Concrete
  - Asphalt
5. ALL UTILITIES SHALL BE NOTIFIED BY PERSON(S) REQUESTING PERMIT

#### **Regulations:**

1. Outer edge of Driveway and/or curb cut, shall not be closer than three (3) feet from Applicant's property line
2. Any alteration or damage of curbing or pavement must be repaired immediately.
3. Driveway to be constructed with materials listed below:

#### **Driveway:**

- **CONCRETE** - CLASS A (2500 PSI)  
5-Inch Standard - (Reinforced wire may be used, but not a requirement)
- **ASPHALT**  
1-Inch Type I - Type II Modified (Suggest minimum 4-inch limerock)
- **If curb is cut; the Applicant must pour a paved transition.**

